

 **AIPHONE®**

DB Series

Hands-free Entry Security



The practical solution for
ACCESS CONTROL and
internal communication

Re-Seller:



LAM INTERNATIONAL CORPORATION PTE. LTD.
2 Sims Close #03-14, GEMINI@SIMS Singapore 387298
Hotline: +65 6383 8138 (2 LINES) Fax: +65 6757 0430


Why the DB Series?



The **DB Series** is a superior and modern audio only entry system designed for new construction or to **replace existing audio systems.**

Providing both door entry security and internal communication, the DB Series is the practical solution for access control in the **home or office!**

WIRING EXAMPLE*



**Diagram is for illustrative purposes only. System wiring may vary by installation. Refer to instruction manual for actual wire count and installation directions.*

ACCESS CONTROL will keep people and assets safe inside a home or building.

SUPERIOR SYSTEM replaces existing audio systems with less wires and a larger capacity.

DOOR STRIKE draws power directly from door station so separate power supply and wire are not required.


EASY TO INSTALL using only 2 wires from the entrance station to the master station.

ALL CALL provides internal communication between stations.

HANDS-FREE communication is great for home or office.

CAPACITY is 1 entrance station, 1 master station, and up to 4 sub stations.

INTERNAL COMMUNICATION
1 master station and up to 4 sub stations



DB Series Features & Functions

DOOR
1 ▶ **INSIDE**
5



DA-1DS

2 WIRE INSTALLATION

- Easy installation using only 2 wires from door to master
- Utilizes existing doorbell wires



DOOR STRIKE (EL-12S)

- Wired directly to door station using only 2 wires
- Separate power supply not needed for strike
- 12V AC/DC, 200mA



BOX SET (DBS-1A)

- Added convenience in this all-in-one kit
- Set includes 1 single-call door station, 1 master station, & 1 power supply

POWER & ACCESSORIES


- PT-1211C: AC transformer, 15V AC
- IER-2: Call extension speaker
- RY-ES: External signaling relay



PT-1211C



IER-2



RY-ES



DA-2DS



DA-4DS

ENTRANCE STATIONS (DA-1DS/2DS/4DS)

- 1, 2, and 4-call stations available
 - Surface mount and weather resistant
 - Customizable back-lit directory
- 6-7/8"H 4"W 7/8"D



SUB STATION (DB-1SD)

- Up to 4 additional sub stations
 - 4 wires between sub stations
 - Hands-free communication
 - Option button for external device
 - All Call to master and sub stations
 - Electric door release
 - Surface mount to wall or desk mount using MCW-S/A
- 7-1/4"H 3-1/8"W 1-1/16"D



MASTER STATION

(DB-1MD - shown with optional MCW-S/A)

- Hands-free communication
 - Option button for external device
 - All Call to sub stations
 - Electric door release
 - Surface mount to wall or desk mount using MCW-S/A
- 7-1/4"H 3-1/8"W 1-1/16"D

DESK STAND (MCW-S/A)

- Alternative to wall mounting
 - Pre-drilled mounting holes
 - Adjustable to 45° & 60° angles for better viewing
- 6"H 4-6/16"W 6-1/2"D



45°



60°

DB Series Brochure

08/2016

Digital Copy

The information in this brochure is subject to change without notice.



GS-35F-0065L

ISO-14001 Certified



Aiphone Co. Ltd.

ISO 9001:2008 Certified



Aiphone Corp.

Deming Prize



Aiphone Co. Ltd.